


## Hoof<sup>™</sup> System

Animal/Equine Gait Assessment



The Hoof system offers instantaneous data at every critical phase by providing objective, quantifiable data to effectively treat lameness, hoof, shoeing, and other gait related disorders in shod and unshod animals. The system is available tethered or untethered for increased mobility and range of assessment.




- Animal gait studies and research
- Objective means to assess lameness in animals
- Assist in differentiating the causes of lameness, such as laminitis, caudal heel syndrome, and degenerative joint disease
- Design and evaluate appropriate shoeing for performance horses
- Evaluate and monitor responses to variable treatments such as joint injections, surgery, pain medication, or corrective shoeing
- Assess and confirm soundness
- Detect hoof imbalances

## Benefits

- Manage animal gait and ambulatory function
- Reduce lameness by providing early assessment and institution of proper treatment
- Use in pre-purchase examination or performance testing
- Easy to apply and use in shod or unshod animals
- Document analysis and treatment plus print data and graphs to explain the condition and treatment options to a client or to a referring clinician



## **Hoof™** Analysis



Shown are pressure profiles of a horse's hooves, a force vs. time graph, a peak pressure vs. time graph, and a color legend for calibrated pressures.

Standard Hoof Sensor Specifications		
Sensor Model #	3200E	
Technology	Resistive	
Size	167.6 mm x 167.6 mm	
	(6.60 in. x 6.60 in.)	
# of Sensels/Hoof	1,089	
Pressure Range	300 psi/2,069 kPa	
Thinness	0.22 mm (0.01 in.)	

System Specifications		
Connection	Wireless	Datalogger*
Scan Speed/Pair	up to 100 Hz	up to 750 Hz
Maximum Distance	up to 100 m (328 ft)	Unlimited

\*coming soon!

## **Related Products & Options**

